

個案委任書

委任人國立中興大學為辦理貨物通關作業需要，
依據關稅法第22條第1項規定，委任受任人（報關業者）
美運貿易有限公司，代為辦理第

進口報單
出口報單
轉運申請書
號

，受任人對之均具有為一切行為之權利，並包括：簽認查驗結果、
繳納稅費、提領進口貨物、捨棄、認諾、收受、責關有關本批
貨物之一切通知與稅費繳納證等文件（或訊息）、領取報關貨物
之貨樣，以及辦理出口貨物之退關、退關轉船、提領出倉等之
特別委任權。

此致

財政部關務署臺北關

委任人：國立中興大學
負責人姓名：校長 薛富盛
統一編號：52024101

海關監管編號：
地址：台中市南區頭大路145號
電話：(04) 22840260 分機 22

受任人：臺灣貿易有限公司
負責人姓名：吳國強
報關業者編號：221240049
地址：台中市南區頭大路三段10號
電話：(04) 22840260 分機 22

中華民國 105 年 7 月 28 日

附件一

進口教育研究用品免稅申請書


申請學校或機關	國立中興大學	發文字日期及字號	中華民國九十五年二月二十五日 第1050400241號
代表人	薛富盛	附件	
地址	台中市國光路250號		
電話	04-22873181		
進口用品名稱規格項數及數量	可調變雷射光源 一台	發文字日期及字號	105.3.01 北業一徵專教字第1050325號
總金額	歐元 46,900	機印	
核轉機關	核轉意見	關信	
核定機關	財政部關務署臺北關	發文字日期及字號	105.3.01 北業一徵專教字第1050325號
備註	採購價格不含進口關稅及營業稅	備註	

附註：一、逕向進口地海關申請之免稅案件，應具本表及進口地海關存查，1份由進口地海關核定免稅（由主管機關核轉進口地海關申請之免稅案件，1式3份（1份由核轉機關存查，1份由進口地海關核定免稅後送還申請學校或機關）。

二、進口用品在2項以上時，應另附進口用品明細表。

三、進口用品如係委託國內廠商代為進口者，應於備註欄內註明受託代為進口之廠商名稱、地址及電話。

項次	用 品 名 稱 及 規 格	數 量	總 價	用 途	進口發存放處所	備註
1	LIOPTSTAR-N Pulsed Dye Laser 可調變雷射光源	1 台	歐元 46,900.00	教學及研究用	化學系	<p>CHP National Chung Hsing University</p> <p>Polariization: 98% vertical</p> <p>Wavelength stability: < 0.001 nm/°C</p> <p>Absolute accuracy: < 0.01 nm</p> <p>Wavelength reproducibility: < 0.002 nm</p> <p>Conversion efficiency: 20% @ 405 nm (Excite 404, 355 nm pumped)</p> <p>28% @ 565 nm (Rhodamine 6G, 532 nm pumped)</p> <p>Line-width: < 0.06 cm-1 @ 570 nm</p> <p>Tuning range: 370 nm - 740 nm, gap at around 425 nm</p> <p>Gating: 2400 V/mm, 90 mm</p> <p>Compensator.</p> <p>SHG crystal (220 nm...320 nm) and beam walk-off</p> <p>FCU frequency doubling, Pelliin Broca separation, BBO3</p> <p>System includes double coated pump optics 355 nm/532 nm, two dye circulators (one for oscillator, one for main amplifier),</p> <p>Grating: 2400 V/mm, 90 mm</p> <p>Line-width: < 0.06 cm-1 @ 570 nm</p> <p>Tuning range: 370 nm - 740 nm, gap at around 425 nm</p> <p>Conversion efficiency: 20% @ 405 nm (Excite 404, 355 nm pumped)</p> <p>28% @ 565 nm (Rhodamine 6G, 532 nm pumped)</p> <p>Wavelength reproducibility: < 0.002 nm</p> <p>Absolute accuracy: < 0.01 nm</p> <p>Wavelength stability: < 0.001 nm/°C</p> <p>Divergence: 0.5 mrad</p> <p>Polarization: 98% vertical</p> <p>Installation and training by manufacturer engineer (minimum 2 days) are included.</p>



第1頁,共1頁

進口教育研究用具品明細表

附件二 國立中興大學 (申請進口用品之學校或機關名稱及其印信)

代表人簽章：薛富盛

薛富盛